



ALL WORKS TO BE CARRIED OUT IN ACCORDANCE WITH ECC DEVELOPMENT CONSTRUCTION MANUAL

ALL TRAFFIC SIGNS AND ROAD MARKINGS ARE REFERENCED TO THE TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS 2016

ROAD MARKINGS SHALL BE EITHER

- SCREED THERMOPLASTIC, OR
- SPRAYED THERMOPLASTIC

COMPLYING WITH BS 3262 AND IN ACCORDANCE WITH CL.1212, MCHW

NO WAITING AT ANY TIME

- NOTES:
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE RELEVANT SPECIFICATION AND ALL OTHER RELATED DRAWINGS ISSUED BY THE ENGINEER.
  2. DO NOT SCALE FROM THIS DRAWING. WORK FROM FIGURED DIMENSIONS ONLY.
  3. ALL DIMENSIONS SHOWN ON THIS DRAWING ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
  4. ALL DIMENSIONS, LEVELS AND SURVEY GRID CO-ORDINATES ARE TO BE CHECKED ON SITE AND THE ENGINEER NOTIFIED IMMEDIATELY OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF THE WORKS.
  5. NO DEVIATION FROM THE DETAILS SHOWN ON THIS DRAWING IS PERMITTED WITHOUT PRIOR PERMISSION FROM THE ENGINEER.
  6. ALL MATERIALS AND WORKMANSHIP SHALL COMPLY FULLY WITH THE MANUAL OF CONTRACT DOCUMENTS FOR HIGHWAY WORKS, VOLUME ONE, SPECIFICATION FOR HIGHWAY WORKS AND ESSEX COUNTY COUNCIL'S DEVELOPMENT CONSTRUCTION MANUAL

- ROAD MARKING NOTES:
1. ALL ROAD MARKINGS AND SIGNAGE SHALL BE IN ACCORDANCE WITH 'THE TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS 2016', TRAFFIC SIGN MANUAL 2018 AND TO THE REQUIREMENTS OF THE LOCAL AUTHORITY.
  2. ALL SURFACE MARKINGS SHALL BE SCREED APPLIED IN THERMOPLASTIC MATERIAL COMPLYING WITH BS3262: PART 1, CLASS A. MARKING THICKNESS SHALL BE 4MM + OR - 1MM.
  3. ALL SURFACE MARKINGS SHALL BE REFLECTORISED BY MEANS OF SPHERICAL GLASS BEADS TO BSEN1423, CLASS A, PREMIXED DURING COMPOUNDING AT A RATE OF 20% BY WEIGHT AND ADDITIONALLY BY SPHERICAL GLASS BEADS TO BSEN1423, CLASS B, SURFACE APPLIED DURING APPLICATION AT A RATE OF 400-500G/M².
  4. THE SKID RESISTANCE OF ALL SURFACE MARKINGS SHALL NOT BE LESS THAN 55.
  5. EXACT LOCATIONS OF THE SURFACE MARKINGS SHALL BE AGREED ON SITE WITH THE ENGINEER PRIOR TO THEIR PERMANENT APPLICATION.

NOT FOR CONSTRUCTION

SUBJECT TO APPROVAL

B	EXTENT OF DOUBLE YELLOW LINES AMENDED	AF	BB	BB	28.09.23
A	YELLOW LINES AMENDED	CC	BB	BB	04.08.22
TI	ISSUED FOR TENDER	AMG	AF	BB	07.08.20
Rev	Description	Drn	Chk	App	Date

**ARDENT** CONSULTING ENGINEERS

Third Floor  
The Hallmark Building  
52-56 Leadenhall Street  
London  
EC3M 5JE

worksafe consultant

www.smasistd.com

SSIP

SAFETY

020 7680 4088

Web: [www.ardent-ce.co.uk](http://www.ardent-ce.co.uk)

E-mail: [enquiries@ardent-ce.co.uk](mailto:enquiries@ardent-ce.co.uk)

Client

BLOOR HOMES

Project Title:  
LAND EAST OF ASHINGDON ROAD,  
ROCHFORD

Drawing Title:  
PERCY COTTIS ROAD  
TRO PLAN

A2 Scale 1:250	Date MAY 2022	Designed by AF
Drawn by AF	Checked by AF	Approved by BB
Drawing Number EA-PA604-EN-312		Rev B

Reproduced from/based upon Ordnance Survey material with the permission of the Controller of Her Majesty's Stationary Office, Crown Copyright Reserved. License No. 100044561

user name: andrew.freeman

File Location: y:\ardent projects\185181 - ashingdon road, rochford, essex - phase 1 working drawings\technical\acad\drawings\ea-pa604-en-312 s278 works percy cottis road tro plan.dwg