



Section A-A

NOTES

- DO NOT SCALE FROM DRAWING.
- CONCRETE POSTS 2125 LONG X 125 SQUARE.
- POSTS SHALL BE MANUFACTURED AND MATURED IN STRICT CONFORMITY WITH ANNEX B, BS 1722 : PART 1, 1999 AND REINFORCED WITH FOUR MILD STEEL BARS, 8 DIAMETER, TO BE CARRIED OVER AT THE TOP.
- TUBULAR RAILS TO BE GALVANIZED STEEL TUBES TO BS 1387 : 1985, SECTION 6 TABLE 4, DN 40. TUBES TO BE THREADED AND SOCKETED.
- FILLET OF CEMENT MORTAR TO BE PLACED IN POST HOLE AROUND TUBE AT END POST.
- ST2 CONCRETE SURROUND TO POSTS TO BE TROWEL FINISHED AT GROUND LEVEL.
- POST HOLE AT TERMINAL END TO BE FILLED WITH FILLET OF CEMENT MORTAR.
- ALL ST CONCRETE SHALL BE TO CLAUSE 2602 MCHW

Rev	Date	Description of revision	Drawn	Checked	Review'd	Approv'd

DRAWING STATUS
APPROVED



Essex Highways, Seax House, Victoria Road South,
Chelmsford, CM1 1QH.
Tel: 0345 6037631 © Essex County Council

SCHEME TITLE
STANDARD DETAILS

DRAWING TITLE
POST AND TUBULAR RAIL FENCE

DESIGNED	DRAWN	CHECKED	REVIEWED	APPROVED
EH	IS	EH/ECC	EH	ECC
DATE	DATE	DATE	DATE	DATE
AUG 18	AUG 18	FEB 19	FEB 19	FEB 19
DRAWING UNITS U.N.O. DIMENSIONS IN MILLIMETRES LEVELS IN METRES			SCALE AT A3 (420x297mm) N.T.S	
DRAWING No. ECC-SD-0300-002				REV. -

