



NOTES

1. DO NOT SCALE FROM DRAWING.
2. GATE TO BE IN ACCORDANCE WITH BS 5709:2006
3. GATES SHALL COMPLY WITH THE APPROPRIATE CLAUSES IN THE 300 SERIES MCHW, ANY FURTHER REQUIREMENTS IN APPENDIX 1/15 OR 3/1 AND WITH BS3470.
4. DROP BOLTS AND CATCHES SHALL BE GALVANISED TO COMPLY WITH BS EN ISO 1461.
5. POSTS TO BE 50X50 R.H.S. GALVANISED.
6. GATE BARS TO BE 50X25 R.H.S. GALVANISED.
7. PROTECTIVE TREATMENT TO BE AS DESCRIBED IN APPENDIX 1/5 OR 3/1.
8. WHERE INSTRUCTED BY THE OVERSEEING ORGANISATION POST FOUNDATIONS MAY BE BACKFILLED WITH COMPACTED EXCAVATED MATERIAL.
9. ALL ST CONCRETE SHALL BE TO CLAUSE 2602 MCHW

Rev.	Date	Description of revision	Drawn	Checked	Reviewed	Approved

DRAWING STATUS		

APPROVED



Essex Highways, Seax House, Victoria Road South,
Chelmsford, CM1 1QH.
Tel: 0345 6037631

© Essex County Council

SCHEME TITLE

STANDARD DETAILS

	DRAWING TITLE
--	---------------

STEEL PEDESTRIAN GATE

DESIGNED EH	DRAWN IS	CHECKED EH/ECC	REVIEWED EH	APPROVED ECC
DATE AUG 18	DATE AUG 18	DATE FEB 19	DATE FEB 19	DATE FEB 19

DRAWING UNITS U.N.O.		
DIMENSIONS IN MILLIMETRES		
LEVELS IN METRES		

N.T.S

DRAWING No.

ECC-SD-0300-015

EV.

 Essex County Council