



- NOTES
- DO NOT SCALE FROM DRAWING.
 - GATE TO BE IN ACCORDANCE WITH BS 5709:2006.
 - FOUNDATIONS TO BE 600 DEEP 450 SQUARE ST2 CONCRETE.
 - PROTECTIVE TREATMENT TO BE AS DESCRIBED IN APPENDIX 1/15 OR 3/1.
 - RADAR CATCH TO BE PROVIDED WHERE SPECIFIED.
 - ALL ST CONCRETE SHALL BE TO CLAUSE 2602 MCHW

Rev	Date	Description of revision	Drawn	Checked	Review'd	Approv'd

DRAWING STATUS

APPROVED



Essex Highways, Seax House, Victoria Road South,
Chelmsford, CM1 1QH.
Tel: 0345 6037631

© Essex County Council

SCHEME TITLE

STANDARD DETAILS

DRAWING TITLE

STEEL STANDARD KISSING GATE
(STOCK PROOF 2 WAYS) MEDIUM
MOBILITY

DESIGNED EH	DRAWN IS	CHECKED EH/ECC	REVIEWED EH	APPROVED ECC
DATE AUG 18	DATE AUG 18	DATE FEB 19	DATE FEB 19	DATE FEB 19
DRAWING UNITS U.N.O. DIMENSIONS IN MILLIMETRES LEVELS IN METRES				SCALE AT A3 (420x297mm) N.T.S
DRAWING No. ECC-SD-0300-009				REV. -

